

**City of Green Isle
City Council Meeting Minutes
Tuesday, June 26, 2018 (7 PM)
City Office Council Chambers**

- 1) Call the City Council Meeting to order**
- 2) Pledge Of Allegiance**
- 3) Public comment period**
- 4) Approval of the Agenda- Motion CM Brown, seconded CM Wentzlaff – approved 5/0**
- 5) Approval of the Consent Agenda**
 - A) Approval of the minutes from the June 26, 2018 meeting**
 - B) Approval of the claims for July 10, 2018 totaling, \$13,704.85**

Motion CM Harms – seconded CM Schauer – approved 5/0
- 6) Waste Management for recycling by Railroad St -County would like to meet to discuss further- Mayor Kreger to attend meeting at the County Courthouse July 16, 2018 – Mayor invited others to attend.**
- 7) Community Center – ballast estimate from electrician Norwood Electric, \$95/ea estimate \$1,300 Hall only – Fire Dept may need replacing – Fire Dept was replaced a year ago – Motion CM Wentzlaff seconded CM Brown –to replace Community Center only approved 5/0**
- 8) Key to Community Center-discuss if there was a log indicating possession of keys- yes, there is – rekey CC – Motion CM Wentzlaff seconded CM Harms approved 5/0**

9) Approval of Liquor License- Club New Yorker and Grey Fox, Motion CM Wentzlaff, seconded CM Harms approved 5/0

10) Other matters

- a. Mayor presented news regarding Bartels Trucking to purchase property
 - i. Mayor proposed motion to direct Ehlers and Associates to proceed with TIF Study for possible sale of property – Motion CM Brown, seconded CM Wentzlaff
- b. CM Wentzlaff presented estimates as requested in previous Council meeting
- c. CM Wentzlaff comments regarding dump area, Neisen to remove concrete – discussion about separating trash – signs are there but covered.
- d. CM Brown- city cleanup – nuisance – Attorney Arneson to send letters.
- e. Mayor discussed water meter estimates – one more bid from another company to arrive. Zach to provide what is in the budget to determine how many meters to purchase.
- f. Mayor indicated pump below the hill was the incorrect pump – Norwood Electric ordered a replacement.

11) Adjournment – Motion CM Wentzlaff, seconded CM Harms – approved 5/0

ATTEST

Mayor Kreger

City Clerk

